















<b>Declaration of Performance</b>
DoP No. JL2026139ED
26

Unique identification code of the product-type:	CLP-70/1G0, CLP-70/1G0-SC, CLP-70/1G1, CLP-70/1G1-SC, CLP-70/1G2, CLP-70/1G2-SC, CLP-70/2G0, CLP-70/2G0-SC, CLP-70/2G1, CLP-70/2G1-SC, CLP-70/2G2, CLP-70/2G2-SC	
type:	External doorset clever-Line+ Non-glazed single leaf door, glazed single leaf door Non-glazed double leaf door, glazed double leaf door with or without sidelight	
Intended use:	External doorset for domestic locations and commercial locations	
Manufacturer:	JELD-WEN Sverige AB, Förrådsgatan, SE - 265 81 Åstorp, Sweden www.jeld-wen.biz	
Authorised representative:	N/A	
AVCP SYSTEM 3	Notified testing laboratory / Notified Body No.	Harmonised technical specification
	<b>A</b> = RISE Research Institutes of Sweden AB / No. 0402	EN 14351-1:2006 +A2:2016
	<b>B</b> = Force Technology / No. 0199	
	<b>C</b> =	
	<b>D</b> =	



Declared performances		clever-line+						Test Laboratory
		Non-glazed single leaf door (1G0)		< 31 % glazed single leaf door (1G1)		≥ 31 % glazed single leaf door (1G2)		
		CLP-70/1G0	CLP-70/1G0-SC + sidelight	CLP-70/1G1	CLP-70/1G1-SC + sidelight	CLP-70/1G2	CLP-70/1G2-SC + sidelight	
								
AVCP System 3	Watertightness (Outswing)	4A/7B	NPD	4A/7B	NPD	4A/7B	NPD	<b>A</b>
	Watertightness (Inswing)	3A/7B	NPD	3A/7B	NPD	3A/7B	NPD	<b>A</b>
	Dangerous substances	-	-	-	-	-	-	-
	Resistance to wind load	C3	NPD	C3	NPD	C3	NPD	<b>A</b>
	Impact resistance	NPD	NPD	NPD	NPD	NPD	NPD	-
	Load-bearing capacity of safety devices	NPD	NPD	NPD	NPD	NPD	NPD	-
	Height	NPD	NPD	NPD	NPD	NPD	NPD	-
	Ability to release	NPD	NPD	NPD	NPD	NPD	NPD	-
	Acoustic performance <sup>1)</sup>	27 (-5; -5) dB	28 (-5; -5) dB	27 (-5; -5) dB	28 (-5; -5) dB	27 (-5; -5) dB	28 (-5; -5) dB	<b>B</b>
	Thermal transmittance	0,69 W/(m <sup>2</sup> ·K)	0,86 W/(m <sup>2</sup> ·K)	0,96 W/(m <sup>2</sup> ·K)	1,1 W/(m <sup>2</sup> ·K)	1,1 W/(m <sup>2</sup> ·K)	1,2 W/(m <sup>2</sup> ·K)	<b>A</b>
	Radiation properties g:	NPD	NPD	NPD	NPD	NPD	NPD	-
	Radiation properties LT:	NPD	NPD	NPD	NPD	NPD	NPD	-
Air permeability	4	NPD	4	NPD	4	NPD	<b>A</b>	



Declared performances		clever-line+						Test Laboratory
		Non-glazed double leaf door (2G0)		< 17 % glazed double leaf door (2G1)		≥ 17 % glazed door (2G2)		
		CLP-70/2G0	CLP-70/2G0-SC + sidelight	CLP-70/2G1	CLP-70/2G1-SC + sidelight	CLP-70/2G2	CLP-70/2G2-SC + sidelight	
								
AVCP System 3	Watertightness	NPD	NPD	NPD	NPD	NPD	NPD	-
	Dangerous substances	-	-	-	-	-	-	-
	Resistance to wind load	NPD	NPD	NPD	NPD	NPD	NPD	-
	Impact resistance	NPD	NPD	NPD	NPD	NPD	NPD	-
	Load-bearing capacity of safety devices	NPD	NPD	NPD	NPD	NPD	NPD	-
	Height	NPD	NPD	NPD	NPD	NPD	NPD	-
	Ability to release	NPD	NPD	NPD	NPD	NPD	NPD	-
	Acoustic performance	NPD	NPD	NPD	NPD	NPD	NPD	-
	Thermal transmittance*	0,73 W/(m <sup>2</sup> ·K)	N/A	0,93 W/(m <sup>2</sup> ·K)	N/A	1,3 W/(m <sup>2</sup> ·K)	N/A	<b>A</b>
	Thermal transmittance**	0,67 W/(m <sup>2</sup> ·K)	0,79 W/(m <sup>2</sup> ·K)	0,86 W/(m <sup>2</sup> ·K)	0,96 W/(m <sup>2</sup> ·K)	1,2 W/(m <sup>2</sup> ·K)	1,2 W/(m <sup>2</sup> ·K)	<b>A</b>
	Radiation properties g:	NPD	NPD	NPD	NPD	NPD	NPD	-
	Radiation properties LT:	NPD	NPD	NPD	NPD	NPD	NPD	-
Air permeability	NPD	NPD	NPD	NPD	NPD	NPD	-	

\* Overall area ≤ 3,6 m<sup>2</sup> (1,23 m x 2,18 m)

\*\* Overall area > 3,6 m<sup>2</sup> (2,00 m x 2,18 m)



Abbreviations:

DoP = Declaration of performance

AVCP = Systems of Assessment and Verification of Constancy of Performance

NPD = no performance determined

N/A = not applicable

<sup>1)</sup> Installation of doorbell, spyhole or door brake may reduce the acoustic performance by up to 2 dB.

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Charlotte Mattsson,  
VP, GM Northern Europe  
(Name and function)

Bromma            2026-03-24  
.....  
(Place and date of issue)

*Charlotte Mattsson*  
Charlotte Mattsson (Mar 24, 2026 13:30:49 GMT+1).....  
(Signature)

Glass codes	% of glass	Product series	Design names
1G0	0 %	clever-line+/CLP	KOSTER, MUDDUS, TYRESTA
1G1	< 31 %	clever-line+/CLP	SIBBO, HOSSA, KVILL, HAMRA, DOVRE, KOLI, THY, TIVEDEN, LOFOTEN, ABISKO, MOLA, PASVIK, RAGO, SIBBO
1G2	≥ 31 %	clever-line+/CLP	REISA, SAREK
2G0	0 %	clever-line+/CLP	KOSTER, MUDDUS
2G1	< 17 %	clever-line+/CLP	KVILL, HAMRA
2G2	≥ 17 %	clever-line+/CLP	SAREK

# JL2026139ED\_en

Final Audit Report

2026-03-24

Created:	2026-03-24
By:	Anne Lasthein (alasthein@jeldwen.com)
Status:	Signed
Transaction ID:	CBJCHBCAABAAsLL0qqI_fg5CE1M1NGDs8F0UXiNW7Nsy

## "JL2026139ED\_en" History

-  Document created by Anne Lasthein (alasthein@jeldwen.com)  
2026-03-24 - 10:49:18 AM GMT
-  Document emailed to Charlotte Mattsson (cmattsson@jeldwen.com) for signature  
2026-03-24 - 10:49:22 AM GMT
-  Email viewed by Charlotte Mattsson (cmattsson@jeldwen.com)  
2026-03-24 - 12:30:30 PM GMT
-  Document e-signed by Charlotte Mattsson (cmattsson@jeldwen.com)  
Signature Date: 2026-03-24 - 12:30:49 PM GMT - Time Source: server
-  Agreement completed.  
2026-03-24 - 12:30:49 PM GMT