








Declaration of Performance
DoP No. JL2026141FW
26

Unique identification code of the product-type:	SC, SS, TS, SE, TE	
Type:	Fixed window Clever-line+, ADVANCE-LINE ED Silence, ADVANCE-LINE	
Intended use:	Fixed window in domestic and commercial locations	
Manufacturer:	JELD-WEN Sverige AB, Förrådsgatan, SE - 265 81 Åstorp, Sweden www.jeld-wen.biz	
Authorised representative:	N/A	
AVCP SYSTEM 3	Notified testing laboratory / Notified Body No.	Harmonised technical specification
	A = RISE Research Institutes of Sweden AB / nr. 0402	EN 14351-1:2006 +A2:2016
	B = Force Technology / No. 0199	
	C =	

Declared performance			Test laboratory
	Clever-line +		
	SC		
	Fixed window		
			
AVCP SYSTEM 3	Watertightness	E1200	A
	Dangerous substances	NPD	-
	Resistance to wind load	C3	A
	Load-bearing capacity of safety devices	NPD	-
	Acoustic performance	34 (-1; -5) dB	B
	Thermal transmittance	1,2 W/(m ² ·K)	A
	Radiation properties g	NPD	-
	Radiation properties LT	NPD	-
	Air permeability	4	A

Declared performance				Test laboratory
	ADVANCE-LINE ED Silence			
	SS	TS		
	Fixed window	Fixed windows		
				
AVCP SYSTEM 3	Watertightness	E1200	E1200	A
	Dangerous substances	NPD	NPD	-
	Resistance to wind load	C3	C3	A
	Load-bearing capacity of safety devices	NPD	NPD	-
	Acoustic performance	46 (-2 ; -6) dB	46 (-2; -6) dB	B
	Thermal transmittance	1,2 W/(m ² ·K)	1,2 W/(m ² ·K)	A
	Radiation properties g	NPD	NPD	-
	Radiation properties LT	NPD	NPD	-
	Air permeability	4	4	A



Declared performance				
		ADVANCE-LINE		Test laboratory
		SE	TE	
		Fixed window 	Fixed windows 	
AVCP SYSTEM 3	Watertightness	E1200	E1200	A
	Dangerous substances	NPD	NPD	-
	Resistance to wind load	C3	C3	A
	Load-bearing capacity of safety devices	NPD	NPD	-
	Acoustic performance	34 (-1; -5) dB	34 (-1; -5) dB	B
	Thermal transmittance	0,72 W/(m ² ·K)	0,72 W/(m ² ·K)	A
	Radiation properties g	NPD	NPD	-
	Radiation properties LT	NPD	NPD	-
	Air permeability	4	4	A



Abbreviations:

DoP = Declaration of performance

AVCP = Systems of Assessment and Verification of Constancy of Performance

NPD = no performance determined

N/A = not applicable

The performance of the product identified above is in conformity with the set of declared performance/s.
This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Charlotte Mattsson,
VP, GM Northern Europe
(Name and function)

Bromma **2026-03-24**
.....
(Place and date of issue)

Charlotte Mattsson
.....
Charlotte Mattsson (Mar 24, 2026 13:34:24 GMT+1)
(Signature)


JL2026141FW_en

Final Audit Report

2026-03-24

Created:	2026-03-24
By:	Anne Lasthein (alasthein@jeldwen.com)
Status:	Signed
Transaction ID:	CBJCHBCAABAAxvwwf10f8tRH7uDIBEN8S_d15waib6jP

"JL2026141FW_en" History

-  Document created by Anne Lasthein (alasthein@jeldwen.com)
2026-03-24 - 10:35:24 AM GMT
-  Document emailed to Charlotte Mattsson (cmattsson@jeldwen.com) for signature
2026-03-24 - 10:35:28 AM GMT
-  Email viewed by Charlotte Mattsson (cmattsson@jeldwen.com)
2026-03-24 - 12:34:04 PM GMT
-  Document e-signed by Charlotte Mattsson (cmattsson@jeldwen.com)
Signature Date: 2026-03-24 - 12:34:24 PM GMT - Time Source: server
-  Agreement completed.
2026-03-24 - 12:34:24 PM GMT